SURGICAL ABSORBABLE SUTURES - STERILE

MONOGLYDE - monofilament absorbable suture poliglecaprone 25

Equivalent Ethicon brand: MONOCRYL

CE 2265



Technical details
- monofilament
- poliglecaprone 25
- synthetic absorbable suture
- sterilized by ethylene oxide
- shelf life of 3 years
- wound support: 21-28 days
- mass absorption: 90-120 days

Applications
- used for subcuticular repair and general soft-tissue approximation
- bowel anastomoses
- closure of the peritoneum
- closure of uterus and vaginal cuff
- not recommended for use in cardiovascular or neurological tissues, microsurgery or ophthalmic surgery
- since this is an absorbable suture, it should not be used for extended approximation of tissue (fascia)

Multilanguage manual and box: GB, FR, IT, ES, PT, DE, GR.

MONOGLYDE - box of 12

GIMA code	Gauge	Metric	Colour	Circle	Needle length	Suture length
22901	0	3.5	Undyed	1/2	30 mm	70 cm
22902	2/0	3.0	Undyed	1/2	30 mm	70 cm
22903	3/0	2.0	Undyed	3/8	25 mm	70 cm
22904	5/0	1.0	Undyed	3/8	19 mm	45 cm

TRUSYNTH FAST - braided & coated polyglactin 910 fast

Equivalent Ethicon brand: VICRYL RAPID

CE 2265



Technical details
- synthetic absorbable surgical suture
- braided and coated polyglactin 910
- sterilized by ethylene oxide
- shelf life of 5 years
- absorption period: 42 days

Applications
- general soft tissue approximation

Multilanguage manual and box: GB, FR, IT, ES, PT, DE, GR.

TRUSYNTH FAST - box of 12

GIMA code	Gauge	Metric	Colour	Circle	Needle length	Suture length
22910	2/0	3.0	Undyed	3/8	24 mm	70 cm
22911	3/0	2.0	Undyed	1/2	17 mm	45 cm
22912	3/0	2.0	Undyed	3/8	19 mm	45 cm
22913	3/0	2.0	Undyed	1/2	17 mm	70 cm
22914	3/0	2.0	Undyed	1/2	22 mm	70 cm
22915	3/0	2.0	Undyed	3/8	14 mm	75 cm
22916	3/0	2.0	Undyed	3/8	24 mm	70 cm
22917	4/0	1.5	Undyed	3/8	19 mm	45 cm
22918	4/0	1.5	Undyed	3/8	19 mm	70 cm
22919	5/0	1.0	Undyed	3/8	16 mm	70 cm
22920	6/0	0.7	Undyed	3/8	11 mm	45 cm

TRUSYNTH PLUS - braided polyglactin 910 anti-bacterial coated suture

Equivalent Ethicon brand: VICRYL PLUS

Technical details
- braided and coated polyglactin 910, coated with antibacterial agent Chlorohexidine
- coating of calcium stearate and polyglactin 910
- sterilized by ethylene oxide
- shelf life of 5 years
- wound support: 21-28 days
- mass absorption: 56-70 days

CE 2265



Applications
- for soft tissue approximation
- mucosal closures
- skin closure
- dental surgery
- orthopedic surgery

Multilanguage manual and box: GB, FR, IT, ES, PT, DE, GR.

TRUSYNTH PLUS - box of 12

GIMA code	Gauge	Metric	Colour	Circle	Needle length	Suture length
22930	2/0	3.0	Violet	3/8	24 mm	70 cm
22931	3/0	2.0	Violet	1/2	17 mm	70 cm
22932	3/0	2.0	Violet	3/8	24 mm	70 cm
22933	4/0	1.5	Violet	3/8	19 mm	45 cm

PDSYNTH - monofilament absorbable suture polydioxanone

Equivalent Ethicon brand: PDS or PDS II

CE 2265



Technical details
- monofilament
- polydioxanone
- synthetic absorbable suture
- sterilized by ethylene oxide
- shelf life of 5 years
- wound Support: 35-42 days
- mass absorption: 180-210 days

Applications
- for rectus sheath closure
- fascia closure and gastrointestinal tract
- pediatric cardiovascular surgery
- geriatric surgeries
- orthopedic surgery
- general surgery

Multilanguage manual and box: GB, FR, IT, ES, PT, DE, GR.

PDSYNTH - box of 12

GIMA code	Gauge	Metric	Colour	Circle	Needle length	Suture length
22940	1	4.0	Violet	1/2	40 mm	90 cm
22941	0	3.5	Violet	1/2	30 mm	70 cm
22942	0	3.5	Violet	1/2	40 mm	70 cm

TRUSYNTH - braided & coated polyglactin 910

Equivalent Ethicon brand: VICRYL

CE 2265



Technical details
- braided and coated polyglactin 910
- coating of calcium stearate and polyglactin 910
- sterilized by ethylene oxide
- shelf life of 5 years
- wound support: 28-30 days
- mass absorption: 56-70 days

Applications
- ophthalmic procedures
- mucosal closures
- skin closure
- dental surgery
- orthopedic surgery
- general soft tissue approximation

Multilanguage manual and box: GB, FR, IT, ES, PT, DE, GR.

TRUSYNTH - box of 12

GIMA code	Gauge	Metric	Colour	Circle	Needle length	Suture length
22950	1	4.0	Violet	1/2	40 mm	90 cm
22951	0	3.5	Violet	1/2	40 mm	90 cm
22952	2/0	3.0	Violet	1/2	19 mm	75 cm
22953	2/0	3.0	Violet	1/2	30 mm	90 cm
22954	3/0	2.0	Violet	1/2	19 mm	75 cm
22955	4/0	1.5	Violet	1/2	19 mm	75 cm

TRUGLYDE - braided & coated polyglycolic acid

CE 2265



Technical details
- braided and coated polyglycolic acid
- coating of calcium stearate and polyglactin 310
- sterilized by ethylene oxide
- shelf life of 5 years
- wound Support : 28-30 days
- mass Absorption: 70-90 days

Applications
- for soft tissue approximation during general, gynecological and orthopedic surgeries

Multilanguage manual and box: GB, FR, IT, ES, PT, DE, GR.

TRUGLYDE - box of 12

GIMA code	Gauge	Metric	Colour	Circle	Needle length	Suture length
22960	1	4.0	Violet	1/2	40 mm	90 cm
22961	0	3.5	Violet	1/2	40 mm	90 cm
22962	2/0	3.0	Violet	3/8	24 mm	70 cm
22963	2/0	3.0	Violet	1/2	30 mm	90 cm
22964	3/0	2.0	Violet	3/8	19 mm	45 cm
22965	3/0	2.0	Violet	3/8	19 mm	70 cm
22966	3/0	2.0	Undyed	3/8	19 mm	75 cm
22967	3/0	2.0	Undyed	1/2	22 mm	75 cm
22968	4/0	1.5	Violet	3/8	19 mm	45 cm
22969	4/0	1.5	Violet	3/8	19 mm	70 cm
22970	4/0	1.5	Undyed	3/8	16 mm	45 cm
22971	4/0	1.5	Undyed	1/2	17 mm	75 cm
22972	5/0	1.0	Undyed	1/2	17 mm	75 cm
22973	5/0	1.0	Undyed	3/8	13 mm	45 cm